

**Maharashtra University of Health Sciences, Nashik**  
Inspection Committee Report for Academic Year 2025 - 2026

Clinical Material in Hospital

Name of College/Institute: Pavitra B.Sc. Nursing College, Ranjangaon, Shirur, Pune


Faculty/: Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 102 bedded own / parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	02 - (MOU with Affiliated hospital) 01- (Parent Hospital)	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual UG & PG = 1:3	Yes	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) 82%	82%	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)		
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	Yes	Adequate
<ul style="list-style-type: none"> <li>As per Central Council Norms/ University Norms, above Infrastructure must be available at College.</li> <li>If Infrastructure is available, then mark "Adequate"&amp; do not attach any Documents it should be available on college website</li> <li>In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report</li> </ul>			

Here we declare **all relevant document uploaded are clear and visible on web site & are true** as per my knowledge & Belief

Date- 15/2/26

  
 Principal  
**Pavitra B.SC Nursing College**  
 Ranjangaon Ganapati  
 Shirur, Dist - Pune  
 Dean/Principal Stamp & Signature



महाराष्ट्र MAHARASHTRA

2023

CL 697752

आहु पत्र -२, -दस्तावेज प्रकार/अनुच्छेद क्रमांक .  
दस्तावेजाची करणार आहे का? होय / नाही.  
नोंदणी क्रमांक असल्यास दुसऱ्या विभागात कार्यालयाचे नाव : शिरूर/  
विद्युत्करीसे क्रमांक \_\_\_\_\_  
मोबिल नंबर \_\_\_\_\_  
मुद्रांक विभाग घेण्याच्यावे नाव व पत्ता डॉ. साई प्रतिवठाव  
शिरूर  
दुसऱ्या पक्षाचे नाव व पत्ता डॉ. संजय भगवान शिंदे  
शिरूर  
मुद्रांक क्रमांक 29843  
दि. 3/10 OCT 2024  
मुद्रांक विभाग घेण्याच्याची, आहे.  
संजय शिंदे

उपकोषागार कार्यालय  
शिरूर, जि.पुणे  
25 OCT 2024  
उपकोषागार कार्यालय  
शिरूर

मुद्रांक विभागाचे अधिकारी  
श्री. आण्णासाहेब गोविंद जगताप  
धरवना क्रमांक :- २२१२०११  
(मुद्रांक विभागाचे, शिरूर)

### MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made between following parties

1. Life line Hospital  
Kesnand Fata, wagholi, pune  
Through its Director  
Dr. Rahul Uttamrao Kendre.  
(Hereinafter called party No. 1)
2. Pavitra Bsc Nursing College,  
Ranjangaon Ganpati, Tal- Shirur, Dist- Pune.  
Through its Director,  
Dr.Sanjay Bhagwan Shinde  
Age-49 Years ,occupation-Doctor  
Shirur,Tal-Shirur,Dist-Pune  
(Hereinafter called as Party No.2)



WHEREAS the party no. 1, is running a **102 bedded** hospital under the name and title as Life Line Hospital which covers the Multispeciality and Genral. The said hospital is Allopathic faculty. This said hospital is being register under Bombay Nursing Home Act. 1949 and under the shop Act.

WHEREAS the party no. 2, is shri sai pratishthan and is running School of Bsc Nursing Program, affiliated to **Maharashtra University Of Health Sciences, Nashik.**The party No. 1 is already Provided **Life Line Hospital** and request party no. 2 for affiliation of their Hospital for Next **30** consecutive academic years for said College of Bsc Nursing courses for practical purpose.

WHEREAS the party no. 1, has agreed to provided its Affiliated Hospital for the purpose of clinical filled experience for students in said **Pavitra Bsc Nursing College, Ranjangaon Ganpati, Tal- Shirur, Dist- Pune** conducting Bsc.Nursing course at Ranjangaon Ganpati, Tal- Shirur, Dist- Pune for **academic year 2025-26** and for Next **30** consecutive year.

Therefoe r this agreement of above Memorandum of Understanding held and for which both the parties have made their singnatures below with best of their below knowledge and belief on this day.

Date:30/10/2024.

Place:Shirur.

EXECUTANT

  
Life line Hospital  


Kesnand Fata,wagholi, pune


Through its Director

Dr. Rahul Uttamrao Kendre.

Dr. Rahul Kendre  
M.B.B.S.,M.D.,(Intersivist)  
2000/02/09984

  
President


Shri Sai Pratishthan  
Shirur, Dist. Pune

  
Pavitra Bsc Nursing College,  
Ranjangoan Ganpati, Tal-shirur

Dist-Pune


Through its Director

Dr.Sanjay Bhagwan Shinde



DILIP YASHAWANT WARE  
B.A.,LL.B.  
ADVOCATE & NOTAR  
"KRISHNA KUNJ" YASHWANT COLONY  
SHIRUR (GHOLNADI), TAL. SHIRUR  
DIST. PUNE PH: 9226405610

BEFORE ME

  
DILIP YASHAWANT WARE  
NOTARY GOVT. OF MAHARASHTRA  
PUNE DISR

Noted And Registered  
at Serial Number **6327**


2024



पुणे नगरपालिका २०२३-२६  
सुगटामु. ४७८ (१०० पानी ३ पुस्तके) ४-२१

४/२५८१

आरोग्य/अन्न व परवान



पुणे महानगरपालिका  
PUNE MUNICIPAL CORPORATION

3259

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले  
रजिस्ट्रेशन सर्टिफिकेट  
Certificate of Registration under section 5 of the Bombay Nursing Homes  
Registration Act, 1949  
(नियम ५ अन्वये) (Under Rule 5)

क्रमांक No. :

दि. बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट, १९४९ अन्वये श्री. / श्रीमती डॉ. वै. र. ११६०४  
३२५४५९ यांचे मा. व. अ. र. व. न. हॉस्पिटल

येथील नर्सिंग होम / मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास  
परवाना देण्यात येत आहे.

This is to certify that Shri. / Shrimati डॉ. वै. र. ११६०४, क. स. न. ५५५६१

has been registered under II

Bombay Nursing Homes Registration Act, 1949 in respect of पुणे - नगर रोड,

situated at २१६०४, पुणे - ४११२०६

and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. : <u>LCBP-2023-00037</u>	प्रसूतीसाठी	<u>१०</u>	कॉट्स
Registration No. : <u>१६.१७.०१.२०२३</u>	Maternity		Cots
रजिस्ट्रेशन दि. : <u>१६.०१.०४.२०२३</u>	इतर रुग्णांसाठी	<u>५२</u>	कॉट्स
Date of Registration : <u>३१.०३.२०२६</u>	Other Nursing Patients		Cots
ठिकाण Place : <u>पुणे</u>	<u>रा. क. व. अ. र. व. न. हॉस्पिटल</u>		

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate  
सदरचे सर्टिफिकेट दिनांक ३१ मार्च २०२६ पर्यंत कार्यवाहीत राहिल.

This Certificate shall be valid up to 31 st March

(डॉ. मणिषा वि. वि. नारकर)  
सहाय्यक आरोग्य अधिकारी, पुणे महानगरपालिका.  
Asstt. Medical Officer of Health, Pune Municipal Corporation.

डॉ. आशिष भारती  
आरोग्य अधिकारी, पुणे महानगरपालिका.  
आरोग्य अधिकारी  
Medical Officer of Health, Pune Municipal Corporation  
पुणे महानगरपालिका



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

RED/S.S.I

Date: 26/05/2025

No:- Format1.0/CC/UAN No.0000232157/CO/2505003520

To,  
M/s. Life Line Hospital,  
Gut No 648/2, Keshnand Phata,  
Wagholi, Tal: Haveli, Dist: Pune-412207  
Email: [lifelinehospital2013@gmail.com](mailto:lifelinehospital2013@gmail.com)  
Contact No.:9923337166



*Grant of Combined Renewal of Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Earlier, combined Consent to 1st Operate & BMW Authorization is granted by the Board vide no. Format1.0/CC/UAN No.0000157248/CO/2307000742 on 13.07.2023 valid upto 25/10/2024
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 23/01/2025
  3. This office e-mail on 13/03/2025
  4. Documents uploaded on 04/04/2025, 09/04/2025 & 16.04.2025
  5. Minutes of 2nd Consent Committee Meeting held on 08/05/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Renewal of Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **25-10-2024 To 25-10-2029**
2. HCF Area : - Plot Area 2407.20 M<sup>2</sup> with Built-up area 6480.76 M<sup>2</sup>.
3. **Activities Included**
  - a. Total Number of Beds : **102 Nos.** (As per BNH certificate no. 3259 valid upto 31-03-2026)
4. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 55 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**5. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

<i>Sr No</i>	<i>Type of Waste</i>	<i>HW Category no.</i>	<i>Quantity</i>	<i>UOM</i>	<i>Disposal</i>
1	Biological Sludge	Biological Sludge	10	Kg/Day	Gardening & manure.

**7. Conditions about Non Hazardous Wastes:-**

<i>Sr No</i>	<i>Type of Waste</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	NON BIODEGRADABLE WASTE	1.0	MT/A	-	By sale

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Life Secure Enterprises, Talegaon,Pune** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.

4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. As per your application, the laundry activity is outsourced. Therefore, you are strictly prohibited to conduct any laundry operation within the hospital premises.
18. The CCA consent is issued after receiving penal charges of Rs. 54,795/- for delay in submission of the CCA application , as per the Boards circular dtd. 04/02/2022.
19. This CCA consent is issued after receipt of 12% penal interest on the Bank Guarantee of Rs. 3.0 Lakh, Calculated as Rs. 43,644/- (Payment received).
20. HCE has installed an STP with a capacity of 42 CMD and an ETP with a capacity of 0.5 CMD as per Boards official visit report & process remark. Hence, the bank guarantee (BG) of Rs. 1.0 lakh, imposed for the installation of the STP & ETP is eligible for release.
21. You shall ensure that the hospital operates with a valid registration certificate under the Bombay Nursing Home (BNH) Act and holds an active membership with a Common Biomedical Waste Treatment Facility (CBWTF). Failure to maintain valid BNH registration and/or CBWTF membership may attract revocation of this CCA without prior notice.
22. You shall extend/submit the bank guarantee of Rs. 2.00 Lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 15 days. Non submission of B.G. in a specified time shall attract 12% penal interest on BG amount.

- 23.** The industry / HCE shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

**Received Consent/Authorization fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	205000.00	MPCB-DR-31017	23/01/2025	NEFT
2	54795.00	TXN2504001093	04/04/2025	Online Payment
3	43644.00	TXN2504003523	16/04/2025	Online Payment
4	1500.00	TXN2505004646	21/05/2025	Online Payment

**The previous balance CCA consent fees of Rs. 43,500/- is consider for grant of this CCA i.e. upto 25/10/2029. The balance fees towards Board in Nil.**

**Copy to:**

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II  
- Regional Officer, MPCB Pune is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.  
SRO - Pune - II is directed to ensure the compliance of the CCA conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	45.00
3.	Pathology Laboratory, Floor washing, Operation Theater	10.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	40.0	As per clause 'C'	50% recycle for flushing in toilet and 50% in local Sewer Line
2	Trade effluent	8.0	As per clause 'C'	100% for gardening

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Discharge Standards applicable</b>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

## H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	DG Set (82.5 KVA)	Diesel	12.00 Ltr/Hr	6.00
2	DG Set (62.5 KVA)	Diesel	10.00 Ltr/Hr	6.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	100.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	150.00		
		d) Expired or Discarded Medicines	55.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	58.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	50.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	250.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
3	White (Translucent)	Waste sharps including Metals	45.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
4	Blue	a) Glassware	95.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
		b) Metallic body implants	0.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Life Secure Enterprises, Talegaon,Pune** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	100,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
<b>Total</b>			<b>2,00,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122**

**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---





Gat No. 648/2, Kesnand Phata, Pune-Nagar Road, Wagholi, Pune. Tal. Haveli, Dist. Pune - 412 207.

Date - 30/10/24

To.  
President/Secretary,  
Shri Sai Pratishthan  
Pavitra B.Sc Nursing College,  
Ranjangaon, Shirur, Pune.

Subject- Permission for Clinical Experience for B.Sc Nursing Institute Students.

Dear Sir/Mam,

Greetings from Lifeline Hospital, Wagholi, Pune . We acknowledge the request from Pavitra B.Sc Nursing Institute , seeking permission for clinical experience placements of their students at our healthcare facility. After careful consideration, we are pleased to grant the necessary permission for the clinical training of Pavitra B.Sc Nursing Institute students at Lifeline Hospital, Wagholi, Pune

This collaboration aligns with our commitment to fostering the growth and development of future healthcare professionals. We are confident that the clinical experience at our facility will provide valuable learning opportunities for the students of Pavitra B.Sc Nursing Institute and contribute to their overall education and training

Our team is dedicated to ensuring a positive and educational experience for the students We appreciate the opportunity to contribute to the training and education of Pavitra B.Sc Nursing Institute students and look forward to a successful collaboration.

Thank you for choosing Lifeline Hospital, Wagholi, Pune for this valuable clinical experience



  
**Dr. Rahul Kendre**  
**M.B.B.S.,M.D.,(Intensivist)**  
**2000/02/09984**



महाराष्ट्र MAHARASHTRA

2023

CL 697750

जाह्न पत्र - २, -दस्ताचा प्रकार/अनुच्छेद क्रमांक .  
दस्त नोंदणी करणार आहे का? होय / नाही.  
नोंदणी होणार असल्यास दुय्यम विभाग कार्यालयाचे नाव : शिरूर/  
विद्यकतीचे वर्णन कशर  
नोंदणीतला रकम  
मुद्रांक विभाग घेण्याच्यावेळी तारीख व वेळ कशर साई पुतिकाळ  
दुय्यम पदाधिकाऱ्याचे नाव शिरूर  
नोंदणी करणार व पदाधिकाऱ्याचे नाव डॉ. संजय भगवान शिंदे  
नोंदणी करणार व पदाधिकाऱ्याचे नाव  
मुद्रांक विभाग घेण्याच्यावेळी अनुक्रमांक 27843  
दि. 30 OCT 2024  
मुद्रांक विभाग घेण्याच्यावेळी रकम  
श्री. आकाशकिरण गोविंद जगताप  
पदाधिकाऱ्याचा क्रमांक :- 2282088  
(मुद्रांक विभाग, शिरूर)

उपकोषागार कार्यालय  
शिरूर, जि. पुणे  
25 OCT 2024  
उपकोषागार कार्यालय  
शिरूर

## MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made between following parties

- Vedanta Criticare Multispeciality Hospital**  
Shirur, Tal- shirur, Dist- pune  
Through its Director  
**Dr. Akashkiran Vijayrao Somvanshi**  
(Hereinafter called party No. 1)
- Pavitra Bsc Nursing College,**  
Ranjangaon Ganpati, Tal Shirur, Dist- Pune.  
Through its Director,  
**Dr. Sanjay Bhagwan Shinde**  
Age-49 Years ,occupation-Doctor  
Shirur, Tal-Shirur, Dist-Pune  
(Hereinafter called as Party No.2)



WHEREAS the party no. 1, is running a **102 bedded** hospital under the name and title as **Vedanta Criticare Multispeciality Hospital** which covers the Multispeciality and Genral. The said hospital is Allopathic faculty. This said hospital is being register under Bombay Nursing Home Act. 1949 and under the shop Act.

WHEREAS the party no. 2, is shri sai pratishthan and is running School of Bsc Nursing Program, affiliated to **Maharashtra University Of Health Sciences, Nashik**. The party No. 1 is already Provided **Vedanta Criticare Multispeciality Hospital** and request party no. 2 for affiliation of their Hospital for Next **10** consecutive academic years for said College of Bsc Nursing courses for practical purpose.

WHEREAS the party no. 1, has agreed to provided its Affiliated Hospital for the purpose of clinical filled experience for students in said **Pavitra Bsc Nursing College, Ranjangaon Ganpati, Tal- Shirur, Dist- Pune** conducting Bsc.Nursing course at Ranjangaon Ganpati, Tal- Shirur, Dist- Pune for **academic year 2025-26** and for Next **10** consecutive year.

Therefoe r this agreement of above Memorandum of Understanding held and for which both the parties have made their singnatures below with best of their below knowledge and belief on this day.

Date:30/10/2024.

Place:Shirur.

EXECUTANT

**Vedanta Criticare Multispeciality Hospital**

Through its Director

**Dr. Akashkiran Vijayrao Somvanshi**

डॉ. आकाशकिरण वि. सोमवंशी  
एम बी.बी.एस., डी.(ऑर्थो.) ए.एफ.आय.एच.(मुंबई)  
फेलोशिप्स इन रोबोटिक जॉईंट  
रिप्लेसमेंट, आर्थोस्कोपी, ट्रॉमा, स्पोर्ट्स मेडिसिन  
अंड स्याईन सर्जरी  
(अमेरिका, जर्मनी, इटली, लंडन, कॅनडा)  
रजि न 2011/12/3461

**Shri Sai Pratishthan**  
Shirur, Dist. Pune

**Pavitra Bsc Nursing College,**

Ranjangoan Ganpati, Tal-shiru Dist-Pune

Through its Director

**Dr.Sanjay Bhagwan Shinde**

BEFORE ME

DILIP YASHAWANT WARE  
NOTARY GOVT. OF MAHARASHTRA  
PUNE DISR

**DILIP YASHAWANT WARE**  
B.A.,LL.B.

ADVOCATE & NOTAR  
"KRISHNA KUNJ"YASHWANT COLONY  
SHIRUR (GHOLNADI), TAL.SHIRUR  
DIST. PUNE PH: 9226405610

Noted And Registered  
at Serial Number **6324**  
2024





GOVERNMENT OF MAHARASHTRA  
PUBLIC HEALTH DEPARTMENT

**Certificate of Registration under Section 5 of the  
Bombay Nursing Homes Registration  
(Under Rule 5)  
(Amendment Act 2005)  
Maharashtra Act No.2 of 2006**

**NO.466**

This is to certify that **Dr.Dhananjay Sampatrao Pote, (MD, Anae),Dr. Hemant Chandrakant Palave (MD Med) & Dr. Akashkiran Vijayrao Somvanshi (D.Ortho)** has been registered under the **Bombay Nursing Homes Registration Act, 1949** in respect of **Shri. Ganpati Health Care's Vedanta Criticare Multispeciality Hospital Cardiac & Advance Trauma Care Center** situated at **28/2/B/2, Mahadev Nagar, Joshiwadi, Old Nagar-Pune Highway, Shirur, Dist. Pune-412210** and has been authorized to carry on the said Nursing Home.

Registration No.466

Maternity Patients 06 Beds

Other Nursing Patients 96 Beds

Date of Registration:- **01.03.2019.**

Date of issue of Certificate:- **11.03.2025.**

This certificate shall be valid upto **31<sup>st</sup> March 2028.**



*M. G. K.*  
Civil Surgeon, Pune.  
Civil Surgeon, Pune

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

RED/M.S.I

Date: 04/01/2025

No:- Format1.0/CC/UAN No.0000176516/CE/2401000548

To,  
SHRI GANPATI HEALTH CARE  
Gat No 280 2 B 2, At. Post.-Shirur, Tal.-Shriru, Dist.-  
Pune-412210.  
Email:[shriganpatioffice@gmail.com](mailto:shriganpatioffice@gmail.com)  
Contact No.:9860899858



Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Your application for Combine Consent and Bio-Medical Waste Authorization dated 16/07/2023
  2. This office e-mail on 27/10/2024
  3. Documents uploaded on 03/11/2024
  4. Penal Fees paid on 31/11/2024
  5. Minutes of 22nd CC meeting held on 26/12/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. Commissioning of unit or 5 years whichever is earlier
2. The capital investment of the HCF is **₹835.00** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1459.00 M<sup>2</sup> with Built-up area 3235.50 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **102 Nos.** (As per BNH certificate no. 0 valid upto 01-07-2028)
    - I. General Beds : **49 Nos**
    - II. ICU/ICU Beds : **28 Nos**
    - III. Operation Theatre : **3 Nos**
    - IV. Maternity Beds : **6 Nos**
    - V. Other Beds : **16 Nos**
  - b. Pathology Lab Average Sample/day:- **50.00 Nos.**
  - c. Blood Bank No. of Bags/Month:- **50.00**
  - d. Medical Store(s):- **2.00** Nos.

**5. Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 51 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

<i>Sr No</i>	<i>Type of Waste</i>	<i>HW Category no.</i>	<i>Quantity</i>	<i>UOM</i>	<i>Disposal</i>
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	--NA--	-

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Life Secure Enterprises, Talegaon,Pune** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Bank Guarantee of Rs. 1.0 Lakh towards installation of combine STP & ETP of adequate capacity with in Six Months period from the date of issuance of CCA for treatment of Sewage & Effluent generated in hospital.
18. You shall apply for 1st consent to operate with relevant documents viz., BNH Certificate, CBWTF Membership, installation Certificate of STP & ETP & BMW Separate Storage Area details etc, before commencement of the Hospital activity.
19. You shall not start hospital activity till obtaining 1st Consent to Operate from Board.
20. You shall submit the bank guarantee of Rs. 1.50 Lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



*Dinazg*

3db45a15  
4ff88f66  
8b522a2b  
506bfff6  
a38bbfaa  
fb745d72  
053eae50  
37195cfa

Signed by: **Dr. Avinash Dhakne**  
Member Secretary  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
ms@mpcb.gov.in  
2024-01-04 19:56:17 IST

**Received Consent/Authorization fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	25000.00	TXN2307002117	16/07/2023	Online Payment
2	141000.00	TXN2311000561	03/11/2023	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II  
- Regional Officer, MPCB Pune is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.  
SRO - Pune-II is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	46.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	5.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	40.0	As per clause 'C'	50% recycle for flushing in toilet and 50% gardening purpose.
2	Trade effluent	4.0	As per clause 'C'	100% for gardening

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Discharge Standards applicable</b>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	D.G. SET (160 KVA)	Diesel	7.00 Ltr/Hr	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
3	White (Translucent)	Waste sharps including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
		b) Metallic body implants	0.00		

**Responsibilities of CBWTF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Life Secure Enterprises, Talegaon,Pune** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Performance</b>		
1	To provide combine STP & ETP with adequate capacity	Six Month	100,000.00
2	To provide BMW separate storage facility as per guidelines of CPCB	Six months	50,000.00
<b>Total</b>			<b>1,50,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**



**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---



Date- 30/10/24

To,  
President/Secretary,  
Shri Sai Pratishthan  
Pavitra B.Sc Nursing College,  
Ranjangaon, Shirur, Pune.

Subject- Permission for Clinical Experience for B.Sc Nursing Institute Students.

Dear Sir/Mam,

Greetings from Vedanta Hospital, Shirur, Pune . We acknowledge the request from Pavitra B.Sc Nursing Institute , seeking permission for clinical experience placements of their students at our healthcare facility. After careful consideration, we are pleased to grant the necessary permission for the clinical training of Pavitra B.Sc Nursing Institute students at Vedanta Hospital, Shirur, Pune .

This collaboration aligns with our commitment to fostering the growth and development of future healthcare professionals. We are confident that the clinical experience at our facility will provide valuable learning opportunities for the students of Pavitra B.Sc Nursing Institute and contribute to their overall education and training

Our team is dedicated to ensuring a positive and educational experience for the students We appreciate the opportunity to contribute to the training and education of Pavitra B.Sc Nursing Institute students and look forward to a successful collaboration.

Thank you for choosing Vedanta Hospital, Shirur, Pune for this valuable clinical experience



*Somvanshi*  
डॉ. अकाश सोमवंशी  
एम.बी.बी.एस., डी.ओ. (ऑर्थो.)  
फेलोशिप इन रॉबोटिक जॉइंट रिप्लेसमेंट (USA)  
फेलोशिप इन आर्थ्रोप्लास्टी & आर्थ्रोस्कोपी (जर्मनी, लंडन, कॅनडा)  
फेलोशिप इन रिव्हिजन जॉइंट रिप्लेसमेंट (इटली)  
फेलोशिप इन मिनिमल इन्वैसिव स्पाइन सर्जरी (जर्मनी)  
फेलोशिप इन मिनिमल इन्वैसिव स्पाइन सर्जरी (जर्मनी)  
फेलोशिप इन स्पोर्ट्स मेडिसिन, बायोलॉजिक ऑर्थोपेडिक्स &  
रॉबोटिक आर्थ्रोप्लास्टी (USA)  
(अमेरिका, जर्मनी, इटली, लंडन, कॅनडा)  
रजि.नं 2011/12/3461



महाराष्ट्र MAHARASHTRA

2023

CL 485936

जाड पत्र -२, -दस्ताचा प्रकार/अनुच्छेद क्रमांक .  
दाखे नोंदणी करणार आहे का? होय / नाही.  
नोंदणी होणार असल्यास दुय्यम विभागात नोंदणीसाठीचे नाव : शिरूर/  
मिळकतीचे वर्ग  
मोठ्यात मोठ्यात  
मूळ किंवा देणगीचे नाव व पत्ता श्री सार्वजनिक शाळा शिरूर  
दस्ताचा प्रकार श्री संजय भगवान शिंदे  
दस्ताचे मूल्य ५००  
मुद्रांक विक्री नोंदणी अनुक्रमांक २९०६६  
दि ०८/१०/२०२४  
मुद्रांक विक्री नोंदणीसाठीचे स्थान

उपकोषागार कार्यालय  
शिरूर, जि. पुणे  
२३ OCT २०२४  
उपकोषागार कार्यालय  
शिरूर

मुद्रांक विक्री नोंदणीसाठीचे स्थान  
श्री. आशादास गंतोले जगताप  
परवाना क्रमांक :- २२१२०११  
(मुद्रांक विक्री, शिरूर)

## MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made between following parties

- 1. Matoshree Madanbai Dhariwal Hospital.**  
Ghodnadi Revenue colony, Shirur, tal- Shirur, Dist- Pune  
Through its Head Hospital Operation  
Vandana Sangvekar  
(Hereinafter called party No. 1)
- 2. Pavitra Bsc Nursing College,**  
Ranjangaon Ganpati, Tal- Shirur, Dist- Pune.  
Through its Director,  
Dr.Sanjay Bhagwan Shinde  
Age-49 Years ,occupation-Doctor  
Shirur,Tal-Shirur,Dist-Pune  
(Hereinafter called as Party No.2)



WHEREAS the party no. 1, is running a **50 bedded** hospital under the name and title as **Matoshree Madanbai Dhariwal Hospital**.which covers the Multispeciality and Genral. The said hospital is Allopathic faculty. This said hospital is being register under Bombay Nursing Home Act. 1949 and under the shop Act.

WHEREAS the party no. 2, is shri sai pratishtan and is running School of Bsc Nursing Program, affiliated to **Maharashtra University Of Health Sciences, Nashik** .The party No. 1 is already Provided **Matoshree Madanbai Dhariwal Hospital**.and request party no. 2 for affiliation of their Hospital for Next **10** consecutive academic years for said College of Bsc Nursing courses for practical purpose.


WHEREAS the party no. 1, has agreed to provided its Affiliated Hospital for the purpose of clinical filled experience for students in said **Pavitra Bsc Nursing College, Ranjangaon Ganpati, Tal- Shirur, Dist- Pune** conducting Bsc.Nursing course at Ranjangaon Ganpati, Tal- Shirur, Dist- Pune for **academic year 2025-26** and for Next **10** consecutive year.

Therefoe r this agreement of above Memorandum of Understanding held and for which both the parties have made their singnatures below with best of their below knowledge and belief on this day.


Date:30/10/2024.

Place:Shirur.

**EXECUTANT**




**Matoshree Madanbai Dhariwal Hospital.**  
Through its Director  
**Vandana Sangvekar**



**Pavitra Bsc Nursing College**  
**Ranjangoan Ganpati, Tal-shirur, Dist-Pune**  
Through its Director  
**Dr. Sanjay Bhagwan Shinde**



**Shri Sai Pratishtan**  
Shirur, Dist. Pune



**DILIP YASHAWANT WARE**  
B.A., LL.B.  
ADVOCATE & NOTARY  
"YASHNA KUNJ" YASHWANT COLONY  
SHIRUR (GHOLNADI), TAL. SHIRUR  
DIST. PUNE PH: 9226405610

**BEFORE ME**



**DILIP YASHAWANT WARE**  
NOTARY GOVT. OF MAHARASHTRA  
PUNE DISR



GOVERNMENT OF MAHARASHTRA  
PUBLIC HEALTH DEPARTMENT

**Certificate of Registration under Section 5 of the  
Bombay Nursing Homes Registration  
(Under Rule 5)  
(Amendment Act 2005)  
Maharashtra Act No.2 of 2006**

**NO.522**

This is to certify that **Shree Rasiklal Manikchand Dhariwal Foundation** has been registered under the **Bombay Nursing Homes Registration Act, 1949** in respect of **Matoshree Madanbai Dhariwal Hospital**, Situated at **House No.2223, Revenue Colony, Ghodnadi, Shirur, Dist. Pune.** and has been authorized to carry on the said Nursing Home.

Registration No.522

Maternity Patients 00 Beds  
Other Nursing Patients 50 Beds

Date of  
Registration:- **25.02.2020.**

Date of issue of Certificate. **05.06.2023.**

This certificate shall be valid up to **31 March 2026.**



*M. G. K.*  
Civil Surgeon, Pune.  
District Hospital Pune

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 020 - 25811627  
Fax: 020 -25811029  
Website: <http://mpcb.gov.in>  
Email: [ropune@mpcb.gov.in](mailto:ropune@mpcb.gov.in)



Jog Center, 3rd floor,  
Mumbai Pune Road,  
Wakdewadi, Pune - 411003.

**RED/S.S.I**  
**No:- Format1.0/RO/UAN No.0000214326/CO/2409000905**

**Date: 13/09/2024**

To,  
M/s. RMDFs Matoshree Madanbai Dhariwal Hospital  
,2223, Revenue Colony, Ghodnadi, Shirur  
,  
-412210  
Email:[mmdh@rmdgroup.net](mailto:mmdh@rmdgroup.net)  
Contact No.:9822874860



*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

**Ref:** Your application for Combine Consent and Bio-Medical Waste Authorization dated 13/07/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCF under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **30-06-2024** To **30-06-2030**
2. The capital investment of the HCF is **₹594.81** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 3390.00 M<sup>2</sup> with Built-up area 3275.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 522 valid upto 31-03-2026)
    - I. General Beds : **30 Nos**
    - II. ICCU/ICU Beds : **10 Nos**
    - III. Operation Theatre : **5 Nos**
    - IV. Oncology Beds : **5 Nos**
  - b. Pathology Lab Average Sample/day:- **60.00 Nos.**
  - c. Blood Bank No. of Bags/Month:- **60.00**

d. Medical Store(s):- **60.00** Nos.

**5. Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 21 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Passco Environmental Solution Pvt.Ltd., Pune** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.

4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 2.40lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

**Received Consent/Authorization fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	75000.00	TXN2407002512	13/07/2024	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	15.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	6.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	12	As per clause 'C'	100% Recycle
2	Trade effluent	5	As per clause 'C'	100% Recycle

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Discharge Standards applicable</b>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

## H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	NA	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.

b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.

d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

f. D.G. Set shall be operated only in case of power failure.

g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	8.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solution Pvt.Ltd., Pune Pune
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	30.00		
		d) Expired or Discarded Medicines	15.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	2.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	10.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solution Pvt.Ltd., Pune Pune
3	White (Translucent)	Waste sharps including Metals	13.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solution Pvt.Ltd., Pune Pune
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solution Pvt.Ltd., Pune Pune
		b) Metallic body implants	0.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Passco Environmental Solution Pvt.Ltd., Pune** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	50,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	50,000.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	40,000.00
<b>Total</b>			<b>2,40,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122**

**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---





R. M. Dhariwal Foundation's

(Reg.No. E-2173)

## MATOSHREE MADANBAI DHARIWAL HOSPITAL

Ghodnadi (Shirur), Dist. Pune-412 210. Tel. : (02138) 224599/ 225599 / 8605225599  
E-mail : mmdh@rmdgroup.net

Date - 30/10/24

To.  
President/Secretary,  
Shri Sai Pratishthan  
Pavitra B.Sc Nursing College,  
Ranjangaon, Shirur, Pune.

Subject- Permission for Clinical Experience for B.Sc Nursing Institute Students.

Dear Sir/Mam,

Greetings from Matoshree Madanbai Dhariwal Hospital Managed by Ruby Hall Clinic. We acknowledge the request from Pavitra B.Sc Nursing Institute , seeking permission for clinical experience placements of their students at our healthcare facility. After careful consideration, we are pleased to grant the necessary permission for the clinical training of Pavitra B.Sc Nursing Institute students at Matoshree Madanbai Dhariwal Hospital- Managed by Ruby Hall Clinic, Shirur.

This collaboration aligns with our commitment to fostering the growth and development of future healthcare professionals. We are confident that the clinical experience at our facility will provide valuable learning opportunities for the students of Pavitra B.Sc Nursing Institute and contribute to their overall education and training

Our team is dedicated to ensuring a positive and educational experience for the students We appreciate the opportunity to contribute to the training and education of Pavitra B.Sc Nursing Institute students and look forward to a successful collaboration.

Thank you for choosing Matoshree Madanbai Dhariwal Hospital- Managed by Ruby Hall Clinic for this valuable clinical experience





WHEREAS the party no 1 is running B.Sc College program ,affiliated to Maharashtra University Of Health Sciences, Nashik

WHEREAS the party no 2 is running 30 bedded hospital under the name and title as Karandikar Hospital,Ahmednagar which renders services in psychiatric care. The said hospital is of psychiatric facility. This said hospital is being registered under section 65(2) or section 66(3) or section 66(10) or section 66(17) of the mental health care Act 2017.


The party no 1 is requested to party no 2 for affiliation of their hospital for next 10 consecutive academic years for said B.S.C course for practical purpose.


WHEREAS the party no2,has agreed to provide its affliated hospital for the purpose of clinical field experience for students in said Pavitra B.S.C Nursing College,Ranjangoan Ganpati,Tal-Shirur,Dist -Pune 412210. (Maharashtra) for the Acadmic Years 2025-26 and for next 10 consecutive years.

Therefor this agreement of above Memorandum Understanding held and for wich both the parties have made their singnatures below with best of their below knowledge and belife on this days.

Date: 30/10/2024

Place: Shirur.

  
Pavitra B.S.C Nursing College,  
Ranjangoan Ganpati, Tal- Shirur, Dist- Pune.  
Through its Diector,  
Dr.Sanjay Bhagwan Shinde  
(Party No.1)

EXECUTANT   
Dr. Neeraj J. Karandikar  
M.D. (Psychiatry) Pune.  
Reqd. No. 2000/02/1155  
Karandikar Hospital, Ahmednagar  
Dr. Niraj karandikar  
M.D. (Psychiatry)  
(Party No. 2)

  
President  
Shri Sai Pratishthan  
Shirur, Dist. Pune



DILIP YASHAWANT WARE  
B.A.,LLB  
ADVUCATE & NOTAR  
"KRISHNA KUNJ" YASHWANT COLONY  
SHIRUR (GHOLNADI), TAL.SHIRUR  
DIST. PUNE PI: 9226405610

BEFORE ME  
  
DILIP YASHAWANT WARE  
NOTARY GOVT. OF MAHARASHTRA  
PUNE DISR

Noted And Registered  
at Serial Number 6326

2024





**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY**

**(MSMHA)**

**Form-F**

**[See rule 66]**

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL  
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

**Name: - Dr. Niraj Karandikar**

**Address: - Karandikar Hospital, Lal Taki Sidharth Nagar Ahmednagar**

**No of beds: - 20**


**Permanent Registration Certificate No. 48/2023**

The Permanent registration certificate No., **48/2023** issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

**Place: Mumbai**

**Date: 22/08/2023**



  
**Registration Authority  
(MSMHA)**

**Seal of the Registration Authority**



**डॉ. नीरज ज. करंदीकर**

एम.बी.बी.एस., एम.डी. (सायकीयाट्री)

मानसोपचार तज्ञ

रजि. नं. २०००/०२/११५५

**सौ. दिप्ती करंदीकर**

एम.ए. (क्लिनिकल सायकॉलॉजी)

सायकॉलॉजीस्ट

मानसदीप मानसोपचार व व्यसनमुक्ती केंद्र, डॉ. करंदीकर हॉस्पिटल, सातटाकी, सिध्दार्थनगर, अहमदनगर ४१४००९. फोन : (०२४९) २४३०४२४, मो. ९२७३९३५७८९

● वेळ : सोमवार ते शनिवार सकाळी ११.३० ते सायं. ५.०० (रविवार बंद)

दि. 30/10/2024

To,

President/Secretary.

Shri Sai Pratishthan

Pavitra B.Sc Nursing College,

Ranjangaon, Shirur, Pune.

Subject: Permission for Psychiatric Experience of your Pavitra B.Sc Nursing Institute Students.

Respected Sir/Madam,

We are glad to inform you that, we are permitting your Pavitra B.Sc Nursing Institute students for Psychiatric Experience in our Hospital, we understand that this psychiatric posting is essential component of the B.Sc curriculum, as per the guidelines of MUHS.


We would like to request you to submit the clinical rotation of students. The students are expected to strictly adhere to all the hospital rules, regulations, patient confidentiality standards and maintain discipline of students during Psychiatric Experience.



Dr. Neeraj J. Karandikar

M.D. (Psychiatry) Pune

Regd. No. 2000/02/1155




Gat No. 648/2, Kesnand Phata, Pune-Nagar Road, Wagholi, Pune. Tal. Haveli, Dist. Pune - 412 207.

Ref No - 26/2024

Date - 28-10-24


### Paramedical Staff List

Sr. No.	Staff Name	Designation
1	Dr.Rahul U.Kendre	Medical Supritendant
2	Dr.Shankar D.Wavare	Nursing Supritendant
4	Mrs.sawati Pophale	ICU Incharge
5	Mrs.Rani Jagtap	Staff Nurse
6	Mr.Burhe Kishor	Staff Nurse
7	Mr.Aniket Kansae	Staff Nurse
8	Mr.Rahul Patil	Staff Nurse
9	Mr.Kishor Supekar	Staff Nurse
10	Miss.Nilam karad	Staff Nurse
11	Mr.Pankaj kadam	Staff Nurse
12	Mr.Akshay shinde	Staff Nurse
13	Miss.Rutuja Dive	Staff Nurse
14	Mr.Kunal Andhale	Staff Nurse
15	Mr.Pankaj Gune	Staff Nurse
16	Mr.Amit Sarpate	Staff Nurse
17	Mr.Ghoderi Sandip	Staff Nurse
18	Mr.Sanap Amol	Staff Nurse
19	Mr.Rohan Suryawanshi	X-ray Tecnician
20	Miss Mohini Tambe	X-ray Tecnician
21	Mrs. Priti Jhagade	X-ray Tecnician
22	Miss Pooja Bhosale	OT Technician
23	Miss Bharti Kamble	OT Technician
24	Miss Bharti Chavhan	OT Technician
25	Miss Seema Pansare	OT Technician
26	Miss Aarti Thorat	Staff Nurse
27	Miss Bhagyashri Pawar	Staff Nurse
28	Miss Seema Chavhan	Staff Nurse
29	Miss Rohini Gaikwad	Staff Nurse
30	Miss Gitanjali Pawar	Staff Nurse
31	Mrs Chitali Shinde	Staff Nurse
32	Miss Pooja Jadhav	Staff Nurse



For OPD Appointment : 020 - 30400400 / 8007040806 / 8007040807 In Emergency : 30400405 / 8007040805  
E-mail : lifelinehospital2013@gmail.com / lifelinehospitalmedicclaim@gmail.com Website : lifelinehospitalwagholi.com

33	Miss Rani Dighe	Staff Nurse
34	Miss Madhuri Phanse	Staff Nurse
35	Miss Vrushali Jondhale	Staff Nurse
36	Mr. Kiran Shinde	Staff Nurse
37	Miss Sayali Shete	Staff Nurse
38	Mr. Shailesh Nemade	Staff Nurse
39	Mr. Nilesh Deshmukh	Staff Nurse
40	Mr. Sumit Gaikwad	Staff Nurse
41	Mr. Nilesh Lukade	Staff Nurse
42	Mr. Kishor Kote	Staff Nurse
43	Mr. Rahul Kachare	Staff Nurse
44	Miss Amruta Dengale	Staff Nurse
45	Mr. Mittu Gawade	Staff Nurse
46	Miss Rupali Gaikwad	Staff Nurse
47	Mr. Narendra Tambe	Staff Nurse
48	Mr. Rahul Gaikwad	Staff Nurse
49	Mr. Kiran Gadekar	Staff Nurse
50	Mr. Ashif Shaikh	Staff Nurse
51	Mr. Sharukh Khan	Staff Nurse
52	Mr. Pravin Gunjal	Staff Nurse
53	Mr. Deepak Waghmare	Staff Nurse
54	Mr. Rahul Dengale	X-ray Technician
55	Miss Sheetal Shelke	X-ray Technician
56	Miss Pooja Khemnar	X-ray Technician
57	Mr. Pravin Tambe	X-ray Technician
58	Miss Priti Jondhale	X-ray Technician
59	Mr. Vijay Nalkar	X-ray Technician
60	Dr. Lalit Shinde	Laboratory Technician
61	Mr. Suraj Kadam	Laboratory Technician
62	Dr. Ketan Khande	Laboratory Technician
63	Mr. Sagar Mhase	Laboratory Technician
64	Mr. Deepak Pulate	Laboratory Technician
65	Mr. Navnath Nalkar	EEG Technician
66	Mr. Pradeep Gunjal	Dental
67	Mr. Pradhan Janardhan	Dental Hygienic
68	Miss Priti Gulve	Physiotherapy
69	Miss Ashwini Kamble	Audiometry Technician
70	Mr. John Ohul	OT Technician
71	Miss Rohini Salunke	OT Technician
72	Mr. Nayan Gaikwad	Dialysis Technician
73	Miss. Payal Kanade	Dietician
74	75 Miss. Shurtika Chinmay	Social Worker





LIFELINE  
HOSPITAL

Gal No. 648/2, Kesnand Phata, Pune-Nagar Road, Wagholi, Pune, Tal. Haveli, Dist. Pune - 412 207.

date - 28/10/2023

### List of Equipment and Infrastructure

OPD-1

Sr. No	Name of Instruments	Quantity
1	B.P Apparatus	02
2	Weighing machine	01
3	Examination Table	01
4	Simple Table	01
5	Mirror	01
6	X-Ray Check board	01
7	Chair	05
8	Chair Fans	06
9	Glucometer	01
10	Phone	01

OPD-2

Sr. No	Name of Instruments	Quantity
1	Simple table	01
2	Chairs	05
3	Examination table	01
4	Stethoscope	01
5	B.P Apparatus	01
6	X-ray check board	01
7	Mirror	01
8	Stock table	01
9	Bed sheets	02
10	Weighing machine	01
11	PFT (Spiro meter)	01
12	Phone	01



## OPD-3

Sr. No	Name of Instruments	Quantity
1	Phone	01
2	Table	02

3	Chairs	05
4	Computer	01
5	AC	01
6	Key board	01
7	Mirror	01
8	Fan	01
9	Printer	01
10	Camera	01

## OPD-4

Sr. No	Name of Instruments	Quantity
1	Table	01
2	chairs	05
3	BP Apparatus	01
4	Stethoscope	01
5	X-ray Check	01
6	Fan	01
7	AC	01
8	Stock Table	01
9	Bed sheet	02
10	Mirror	01
11	Examination Table	01

## OPD 5

Sr. No	Name of Instruments	Quantity
1	X-RAY check board	01
2	Table	02
3	Chairs	05
4	Sims speculum	01
5	AC	01
6	Key board	01
7	Mirror	01
8	Fan	01
9	Bed sheet	02
10	Fetal Doppler	01



DRESSING ROOM

Sr. No	Name of Instruments	Quantity
1	Trolley	01
2	Dressing Table	01
3	Fan	01
4	Stool	01
5	Dressing drum	01

ACCOUNT SECTION

Sr. No	Name of Instruments	Quantity
1	Computer	05
2	Printer	01
3	Chairs	07
4	Fans	03
5	Phone	02

MEDICAL DIRECTOR OPD

Sr. No	Name of Instruments	Quantity
1	Computer	01
2	Printer	01
3	Chairs	05
4	Fans	03
5	Phone	02
6	Table	01
7	Sofa set	01
8	AC	01

MEDICAL STORE

Sr. No	Name of Instruments	Quantity
1	Table	02
2	Phone	02
3	Printer	02
4	Computer	02
5	Chair	07
6	Stools	04
7	Racks	04
8	Fan	03
9	Freeze	01

STAFF ROOM

Sr. No	Name of Instruments	Quantity
1	Locker Cupboard	01
2	Stool	01
3	Chairs	01
4	Curtains	01



RECEPTION

Sr. No	Name of Instruments	Quantity
1	Reception counter	01
2	Computer	04
3	Printer	01
4	Chairs	05
5	Fans	02
6	Phone	02

X-RAY ROOM

Sr. No	Name of Instruments	Quantity
1	Cupboard	04
2	Phone	01
3	Xray machine	01
4	Xray table	01
5	Chest stand	01
6	Buckets	02
7	Stools	02
8	Chairs	04
9	pillow	02
10	Digital machine	01
11	AC	01
12	Fan	01
13	LED gown	02
14	divider	02

FEMALE MEDICINE WARD

Sr. No	Name of Instruments	Quantity
1	Fans	02
2	Bed	02
3	Locker	02
4	TV Stand	02
5	Mirror	01
6	bucket.	01
7	Mug	01
8	Stools	02
9	Cardiac Table	02
10	Curtains	02

MALE MEWDICINE WARD

Sr. No	Name of Instruments	Quantity
1	Fans	02
2	Bed	02
3	Locker	02
4	TV Stand	02
5	Mirror	01



6	bucket.	01
7	Mug	01
8	Stools	02
9	Cardiac Table	02
10	Curtains	02

MALE SURGICAL WARD

Sr. No	Name of Instruments	Quantity
1	Visitors chairs	20
2	Simple table	03
3	Wheel chair	01
4	Chair	04
5	Strecher	01
6	Blanket	06
7	Bed Sheets	15
8	Freeze	01
9	Camera	01
10	Spirit	60
11	ECG rolls	20
12	Phone	01

NURSING COUNTER

Sr. No	Name of Instruments	Quantity
1	Chairs	04
2	Bed sheets	20
3	ECG trolley	02
4	Emergency medicine trolley	01
5	Dressing trolley	01
6	Trays	08
7	Computer	01
8	Phone	01
9	BP Apparatus	02
10	Stethoscope	02
11	Curtons stand	04
12	Wheel chair	01
13	Bench	05
14	Fans	03
15	Fire extinguisher	04
16	Fire alarm	04
17	Dust bins	04
18	Bed sheets	20
19	Scissors	02
20	Digital thermometer	02



21	Pulse oxymeter	02
22	Spirit bottles	02
23	ECG rolls	04

GENERAL WARD 1

Sr. No	Name of Instruments	Quantity
1	Mirror	01
2	Fans	04
3	Iv stand	06
4	Pillow	07
5	Bucket	02
6	Mug	01
7	Stools	06

GENERAL WARD 2

Sr. No	Name of Instruments	Quantity
1	Mirror	01
2	Fans	04
3	Iv stand	06
4	Pillow	07
5	Bucket	02
6	Mug	01
7	Stools	06
8	Mattress	06

GENERAL WARD 3

Sr. No	Name of Instruments	Quantity
1	Mirror	01
2	Fans	04
3	Iv stand	06
4	Pillow	07
5	Bucket	02
6	Mug	01
7	Stools	06
8	Mattress	06

GENERAL WARD 4

Sr. No	Name of Instruments	Quantity
1	Mirror	01
2	Fans	04
3	Iv stand	06
4	Pillow	07
5	Bucket	02
6	Mug	01
7	Stools	06
8	Mattress	06



Pathology lab

Sr. No	Name of Instruments	Quantity
1	Fans	01
2	Curtons	02
3	Chairs	04
4	Freeze	01

LABOUR ROOM

Sr. No	Name of Instruments	Quantity
1	Fans	02
2	Bed	02
3	Locker	02
4	TV Stand	02
5	Mirror	01
6	Betadine Bottles	01
7	Mug	01
8	Stools	02
9	Cardiac Table	02
10	Curtains	02

FEMALE SURGICAL WARD

Sr. No	Name of Instruments	Quantity
1	Bed	02
2	Stools	03
3	Iv stand	02
4	LED	01
5	AC	01
6	Lockers	02
7	Small bucket	01
8	Remote	01
9	O2	01
10	Fan	01
11	Mirror	01
12	Bucket	01
13	Mug	01

RECOVERY ROOM

Sr. No	Name of Instruments	Quantity
1	Bed	04
2	Medicine trolley	02
3	Curtains	04
4	Iv stand	04
5	AC	01
6	Bedside lockers	04
7	Stool	01



8	Wash basin	01
9	Bucket	02
10	Mugs	02
11	Dressing drum	01

CASUALTY ROOM

Sr. No	Name of Instruments	Quantity
1	Cardiac Table	01
2	Simple Table	01
3	Wheel Chairs	01
4	Emergency Medicine Trolley	01
5	Simple Bed	02
6	Stools	02
7	Curtains	04
8	Fans	02
9	Dustbins	04

ICU

Sr. No	Name of Instruments	Quantity
1	Bed	12
2	Medicine trolley	02
3	Curtains	12
4	ly stand	12
5	AC	04
6	Bedside lockers	12
7	Stools	12
8	Wash basin	15
9	Bucket	02
10	Mugs	02
11	Dressing drum	02
12	BP apparatus	02
13	Stethoscope	02
14	Phones	02
15	Computer	02
16	Dressing trolley	02
17	Humidifier	12
18	Glucometer	02
19	Cardiac trolley	04
20	Thermometer	02
21	Cardiac monitor (old)	04
22	Medicine tray	08
23	Bedpans	04
24	Urine pot	



25	Kidney tray	01
26	Fridge	08
27	Slippers ICU(Pair)	04
28	Registers	02
29	ECG machine	10
30	Stretcher	01
31	Wheel chair	01
32	Chairs	04
33	Fans	13
34	AC remote	04
35	RT 20No	05
36	Pulse oxymeter	12
37	Bi-pap mask	04
38	ICU bed sheets	15
39	Blankets	10
40	Nebulizer	02
41	Syringe destroyer	01
42	Weighing machine	01
43	Naylor adult probe	07

EMERGENCY MEDICINE TROLLEY

Sr. No	Name of Instruments	Quantity
1	Inj. Myostigmin	02
2	Inj. dopamine	06
3	Inj. cordarone	02
4	Inj. Adrenaline	06
5	Inj. Atropine	06
6	Inj dynapar	06
7	Inj. Dytor	04
8	Inj. Febrinil	06
9	Inj. Deriphyline	06
10	Inj noradrenaline	08
11	Inj. MVI	06
12	Inj. Rantac	06
13	Inj. Dexa	06
14	Inj avil	06
15	Inj. Sylate	06
16	Inj. Xset	05
17	Inj. Amika	05
18	Inj. Eptoine	06
19	Inj. Phenargan + fortwin	05
20	Inj. Adinose	05
21	Inj. Lopez	06
22	Inj. Aminophyline	06
23	Inj. Hydrocot	06



24	Inj. Midaz	05
25	Inj. Nitrocine	05
26	Inj. Pause	06
27	Inj. lasix	05
28	Inj. Amiodon	06
29	Inj. Pan	06
30	Inj. sodabicarb	04
31	Inj. Lox	06
32	Inj. Nicoron 48	06
33	Inj. Calcium gluconate	06
34	Iv mannitol	04
35	Iv 100 ml NS	04
36	Xylocaine jelly	02
37	Chest leads	10
38	Intracaths 20 no, 22no, 24no, 18no	Each 4
39	Needles 18no, 24 no	Each 2
40	ET tube 8 no, 8.5, 7.5,	Each 2
41	Three way extension 50 cm	02
42	Bandages 4 inch	02
43	Bandages 6 inch	02
44	Syringe 50, 20, 10, 2, 1cm	Each 2
45	Gloves 7, 6, 5, 7, 5, 8, 8, 5	Each 1 pairs
46	Iv sets	02
47	BT set	02
48	IV RL 1 L, 250ml	Each 2
49	IV DNS 1L, 250 ml	Each 2
50	IV NS 1L, 250 ml	Each 2
51	Venti tube set	04
52	Urine bags	04
53	Folleys no 12, 14, 16, 18,	Each 2
54	Suction catheter no 8, 10, 12, 14, 16	Each 2
55	Feeding tube no 6, 8, 10, 12, 14	Each 2
56	Nasal prongs	04
57	Airway no 4	02
58	Tracheostomy tube	04
59	Stylate (large and small)	04
60	ICD 24, 26, 28, 22	Each 2
61	Ventilator mask	04
62	H2O2 (100 ml)	06
63	Inj. Duoline	06
64	Inj. Bidocord	06
65	Inj NTG	06
66	POP	06
67	AMBU bag (pediatric and adult)	Each 2
68	T. piece (pediatric and adult)	Each 2



69	Glucometer strip box	01
70	Hammer (pediatric and adult)	Each 2
71	Torch	02
72	Syringe pump	06
73	Suction machine	04
74	Inj. D25 100 ml	05
75	Defibrillator machine	02
76	Ventilator machine	02
77	ECC machine	02
78	Pillow	12

MINOR OT

Sr. No	Name of Instruments	Quantity
1	OT Table	01
2	Trolley	01
3	Formiline Chamber	01
4	Stools Steel	02
5	Bucket	02
6	Plastic tub	02
7	Pillow	04
8	Anesthesia machine	01
9	TV stand	02
10	Suction Machine	01
11	Rack	01
12	Monitor	01
13	computer table	01
14	Computer	01
15	LED TV	01
16	Plastic gawn	02
17	Ac	01
18	OT Lamp	02

OT-3 FRIDGE STOCK

Sr. No	Name of Instruments	Quantity
1	Jonac suppository 25mg	16
2	Jonac suppository 125mg	20
3	Jonac suppository 100mg	20
4	Halothan 50 ml	02
5	Inj. Lox 2% with ADR	04
6	Inj sumocold	06
7	Inj. Catamine	06
8	Inj. Hydrocot 100 ml	02
9	Inj. Propofol	10
10	Inj midaz	10
11	Ini. Fentanil	02



12	Inj. Serinace	04
13	Inj. Dexa	15
14	Inj avil	20
15	Inj. Adol	10
16	Inj. Xset	10
17	Inj. Atropine	10
18	Inj. Eptoine	10
19	Inj. Phenargan + fortwin	30
20	Inj.	05
21	Inj.	06
22	Inj. Hydrocot	10
23	Inj. Midaz	10
24	Inj. Nitrocine	05
25	Inj. Pause	20
26	Inj. lasix	10
27	Inj. Amiodon	06
28	Inj. Pan	10
29	Inj. sodabcarb	10
30	Inj. Nicoron 48	06
31	Inj. Calcium gluconate	10
32	lv mannitol	10
33	lv 100 ml NS	04
34	Xylocaine jelly	02

10OT STORE MATERIALS

Sr. No	Name of Instruments	Quantity
1	Chest leads	10
2	Intracaths 20 no, 22no, 24no, 18no	Each 4
3	Needles 18no, 24 no	Each 2
4	ET tube 8 no, 8.5, 7.5,	Each 2
5	Three way extension 50 cm	02
6	Bandages 4 inch	02
7	Bandages 6 inch	02
8	Syringe 50, 20, 10, 2, 1cm	Each 2
9	Gloves 7, 6.5, 7.5, 8, 8.5	Each 1
10	Iv sets	02
11	BT set	02
12	IV RL 1 L, 250ml	Each 2
13	IV DNS 1L, 250 ml	Each 2
14	IV NS 1L, 250 ml	Each 2
15	Venti tube set	02
16	Urine bags	04
17	Folleys no 12, 14, 16, 18,	Each 2
18	Suction catheter no 8, 10, 12, 14, 16	Each 2
19	Feeding tube no 6, 8, 10, 12, 14	Each 2



20	Nasal prongs	04
21	Airway no 4	02
22	Tracheostomy tube	04
23	Stylate (large and small)	04
24	ICD 24,26,28,22	Each 2
25	Ventilator mask	04
26	H <sub>2</sub> O <sub>2</sub> (100 ml)	06
27	Inj. Duoline	06
28	Inj. Bidocord	06
29	Inj NTG	06
30	POP	06
31	AMBU bag (pediatric and adult)	Each 2
32	T piece (pediatric and adult)	Each 2
33	Glucometer strip box	01
34	Hammer (pediatric and adult)	Each 2
35	Torch	02
36	Syringe pump	06
37	Suction machine	04
38	Inj. D25 100 ml	05
39	Defibrillator machine	02
40	Ventilator machine	02
41	ECG machine	02
42	Pillow	12

MINOR OT-3

Sr. No	Name of Instruments	Quantity
1	Inj. Sylate	05
2	Inj. deriphylline	02
3	Inj. Calcium gluconate	02
4	Inj. Sodium bi carbonate	02
5	ET Tubes no 7,7.5,9	Each 3
6	Microset	04
7	Iv set	04
8	Minivax set	03
9	Plastic sheet	03
10	AB gel	02
11	RT no 16,18,20	02
12	HIV kit	04
13	D5 100 ml	02
14	IV RL IL	02
15	NS 100 ml	02
16	Iv DNS 500 ml	02
17	Needle no 1,1.0	Each 2
18	Vicryle no 1,00.1	02
19	Port needle	Each 2



20	Loop ethilon 0,1,0.3	Each 2
21	Catgut 2-0,3-0	04
22	Xylocaine jelly	02 bottles
23	Betadine 100 ml, 500 ml	04 bottles
24	H <sub>2</sub> O <sub>2</sub> 100 ml	15
25	Surgical mob	05
26	Urine bag	Each 2
27	Folleys catheter no7,8,12,14	06
28	Corogated drain	Each 4
29	Romo ADK Drain no 28,24,32	06
30	Suction tube	06
31	Romo vac set no 10	06
32	Feeding tube 5,6,7,8	01
33	OT table	01
34	Anesthetic machine	02
35	Moniter	04
36	BP cap	04
37	Suction machine	05
38	Probs	02
39	Step	02
40	Coutry machine	02
41	Wash basin	02
42	Iv stands	02
43	LED OT light	02
44	AC	01
45	Drug trolley	01
46	Washing trolley	01
47	Dust bin	04
48	Stools	02
49	Pillows	02
50	BP apparatus	02
51	Chittle forcep	01
52	Scissor	04
53	Surgical blade 10,11,12,15,20,22	Each 2

#### NURSING COUNTER

Sr. No	Name of Instruments	Quantity
1	Table	01
2	BP Apparatus	01
3	Stethoscope	01
4	Phone	01
5	Chairs	03
6	Bedsheets	05
7	Dust bin	04
8	ECG machine	01



9	Dressing trolley	01
10	Fire extinguisher	01
11	Betadine bottle 500 ml	01
12	Cotton bundle	02
13	Spirit bottles 500 ml	01
14	Sticking bundles	02
15	Jelly tubes	02
16	Steamer	02
17	Whitener	01
18	Buckets	20
19	Mugs	02
20	Plastic trays	04
21	Screen	02
22	Stephler	01
23	Punching machine	01
24	Digital thermometer	01
25	Battery	01
26	Bed pan	02

DRESSING ROOM

Sr. No	Name of Instruments	Quantity
1	Bed	02
2	Fan	01
3	Stools	02
4	Lockers	02
5	Iv stand	02
6	Curtains	02
7	Humidifiers	02
8	Mirror	01
9	Dustbin	02
10	Pillow	04
11	Bucket	01
12	Mug	01

NURSING SUPERINTENDENT ROOMN

Sr. No	Name of Instruments	Quantity
1	Bed	02
2	Fan	02
3	Stools	02
4	Lockers	02
5	Iv stand	02
6	Curtains	02
7	Humidifiers	02
8	Mirror	01
9	Dustbin	02



10	Pillow	04
11	Bucket	01
12	Mug	01
13	TV	01

ECONOMY WARD

Sr. No	Name of Instruments	Quantity
1	Bed	14
2	Fan	08
3	Stools	14
4	Lockers	14
5	Iv stand	08
6	Fire extinguisher	01
7	Screen	02
8	Dustbin	02
9	Pillow	04
10	Bucket	01
11	Mug	01
12	Bedsheets	18

CONFERENCE HALL

Sr. No	Name of Instruments	Quantity
1	Chair	50
2	AC	02
3	Stools	02
4	Lockers	14
5	Phone	01
6	Projector	01
7	Screen	02
8	Dustbin	02

ECG ROOM

Sr. No	Name of Instruments	Quantity
1	Crape bandage 6	04
2	Bandage no 4/6	03
3	50cc syringe	05
4	Cotton roll	04
5	Gamzee roll 16	02
6	Dns 1 lit	05
7	NS 500 ML	05
8	NS 3LIT	05
9	RL 500ML	05
10	RL 1 LIT	05
11	Swivel needle no 25	02



12	Urine bag	05
13	Folyes cath no 12.14.16.18. each 4	16
14	Mobile box	01
15	Plastic drap	02
16	Suction tube no 8.10 12.14 each 4	16
17	Syringe no 2 cc.5cc.10cc.25cc.50cc each 5	25

OT-1

Sr. No	Name of Instruments	Quantity
1	Gloves no 6.6.5/ 7.7.5/8.8.5each 2 box	10
2	Surigal blade no 11.12.13.14.15.20.22 each 2 box	14
3	Betadine solution 5 lit	02
4	Betadine ointement ceram	05
5	Inj adreline	05
6	Inj adol	02
7	Inj bural	03
8	Inj avil	02
9	Inj dexta	02
10	Inj dopamine	05
11	Inj x set	10
12	Inj fortavin	02
13	Inj phonerger	02
14	Inj saylate	02
15	Inj pause	03
16	Inj nemove	05
17	Inj glycopylarate	02
18	Inj atropine	06
19	Inj rantac	07
20	Inj myostimin	02
21	Inj cloneoun	02
22	Inj lasix	05
23	Inj dnyapar	03
24	Savlon 100ml	02
25	Inj midaz	02
26	Inj hydrocort 100 mg.	03
27	Sticking roll	02
28	Sterilum 100ml	02
29	Inj tazar 4.5mg	02
30	DW 31	20
31	Inj ananine	01
32	Inj lox 2/	02
33	Inj lox 4/	02
34	Eletronic polytable	01
35	Anasthesia gas machine	01
36	Remote bell	01



37	Drug table	01
38	IV stand	01
39	Monitor	05
40	Bp cuff	01
41	Finger prob	01
42	Chital forceps	01
43	Stool	03
44	Dressing tolly	02
45	Wash trolley	01
46	Formalin dram	01
47	Dust bin	04
48	Laproscope table	01
49	Tornicate machine	01
50	Led o t light	02
51	Laminar machine	01
52	Scrub wash basin	01
53	Shooes stand	01
54	Phone	01
55	Glutahyde 2.45/	02
56	Bacilloid 5 lit	02
57	Sterillum 5lit	02
58	L Hook	01
59	OTIS	01
60	Inj serines	02

ORTHO OT NO 1

Sr. No	Name of Instruments	Quantity
1	C arm	01
2	Lid apprance	03
3	C Armtromy	01
4	C Arm monitor	01
5	Stablilyzar machine	01
6	Stock t	01
7	Simple trolley	01
8	IV stand	01
9	stool	01
10	Suction machine	01
11	Turrige machine	01
12	turrige Munumun	01
13	delivarey machine	01
14	tuff	05
15	Bucket	05
16	Orthro machine	01
17	O T eletrtic bord	01
18	Ortho set	01



19	pillow	02
20	O T LED LIGHT	03
21	Luminor machine	01
22	O T gawan	05
23	O T DRESS	05
24	Three way set	02



## पवित्रा (बी.एससी)नर्सिंग कॉलेज

पत्ता:- रांजणगाव गणपती,ता.शिरूर,जि.पुणे, ईमेल आयडी:-PAVITRANURSINGSCHOOL@GMAIL.COM MOB- 8087443983

जा. क्र. PNS/Clinical experience/2024

दि.17/10/2024

प्रति,

मा. जिल्हा आरोग्य अधिकारी,

जि.प.पुणे.


विषय: पवित्रा बी.एससी नर्सिंग कॉलेज,रांजणगाव गणपती,शिरूर,पुणे येथील  
विद्यार्थी/विद्यार्थिनींना प्रात्यक्षिक अनुभवासाठी परवानगी मिळणे कामी प्रस्ताव सादर  
करणे बाबत.....

उपरोक्त विषयांवर पत्र देण्यात येते की,श्री साई प्रतिष्ठान संचालित,

पवित्रा बी.एससी नर्सिंग कॉलेज,रांजणगाव गणपती,शिरूर,पुणे मार्फत मा.संचालक, आरोग्य  
सेवा, मुंबई यांना शासकीय रुग्णालयात प्रात्यक्षिक अनुभवासाठी परवानगी मिळण्यासाठी  
प्रस्ताव सादर करत आहोत.

माहितीस्तव सादर

सोबत: प्रस्ताव सादर करित आहे.

  
आवक टेबल  
मध्यवर्ती टपाल कक्ष  
जि. प. पुणे.

## पवित्रा (बी.एससी)नर्सिंग कॉलेज

पत्ता:- राजणगाव गणपती,ता.शिरूर,जि.पुणे, ईमेल आयडी:-PAVITRANURSINGSCHOOL@GMAIL.COM MOB- 8087443983

जा. क्र. PNC/clinical experience/2025

दि. 2/1/2025

प्रति,

मा. जिल्हा शल्यचिकित्सक,

जिल्हा रुग्णालय,औंध.पुणे.

विषय: पवित्रा बी.एससी नर्सिंग कॉलेज,रांजणगाव गणपती,शिरूर,पुणे येथील  
विद्यार्थी/विद्यार्थिनींना प्रात्यक्षिक अनुभवासाठी परवानगी मिळणे कामी प्रस्ताव सादर  
करणे बाबत.....

उपरोक्त विषयांवर पत्र देण्यात येते की,श्री साई प्रतिष्ठान संचालित,

पवित्रा बी.एससी नर्सिंग कॉलेज,रांजणगाव गणपती,शिरूर,पुणे मार्फत मा.संचालक, आरोग्य  
सेवा, मुंबई यांना शासकीय रुग्णालयात प्रात्यक्षिक अनुभवासाठी परवानगी मिळण्यासाठी  
प्रस्ताव सादर करत आहोत.

माहितीस्तव सादर

सोबत: प्रस्ताव सादर करित आहे.

  
(आयुक्त जलक विभाग) 2/1/25  
सामान्य रुग्णालय, औंध छावणी  
पुणे-२०